Box No. I

Box No. 11

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.

TITLE OF INVENTION

An Apparatus for Supplying Breathable Gas

APPLICANT

For reco	Office use only
International Application No.	
Canational Filing Date	

Name of receiving Office and "PCT International Application"

Applicant's or agent's file reference (if desired) (12 characters maximum)

447839C

Name and address: (Family name fallowed by	C	
Name and address: (Family name followed by given name;)	or a legal entity, full official designat	ion. This person is also inventor.
The address must include postal code an address indicated in this Box is the appli	icant's State (i.e. country of the	
no state of residence is indicated below.	icam's state (i.e. country) of residence	9850 2300
RESMED LIMITED		Facsimile No.
97 Waterloo Road		9889 1483
North Ryde, New South Wales 2113		Teleprinter No.
AUSTRALIA		75,557,11,62,140.
TOBINALIA		
State (i.e. country) of nationality:		
AUSTRALIA	State (i.e. country) of residence	2:
This is the second of the seco	AUSTRALIA	
for the numbered of	aled States except the the Uni	ted states the States indicated in the
	eles of America of Ame	rica only Supplemental Box
TOTAL ATTECHNICS AND/OR	(FURTHER) INVENTOR(S)	
The state of the s	or a legal entity, full official designation	on.
The address must include postal code and	name of country. The country of the	This person is:
address indicated in this Box is the application no State of residence is indicated below.)	can's state (i.e. country) of residence	if applicant only
DANTANARAYANA, Muditha Pradeep		l <u> </u>
21 Carole Avenue		
Baulkham Hills, New South Wales 2153		inventor only (If this check-
AUSTRALIA		box is marked, do not fill in
TOUTIONLIN		balow.)
State (i.e. country) of nationality:		
AUSTRALIA	State (i.e. country) of residence	:
Thio come in the	AUSTRALIA	
All Ocsignated All Ocsignated	ted States except the Unit	ed states the States indicated in
The United	States of America IXI -ca	
Further applicants and/or (further) inventors are indicated or Box No. IV	on a continuation sheet.	
	(ATIVE; OR ADDRESS FOR C	CORRESPONDENCE
	n behalf of the X agent	
applicant(s) before the competent International Authorities as:	∑ "Betti	common representative
Name and address: (Faintly name followed by given name; for a leg	gal entity, full official designation. The	Telephone No.
SPRUSON & FERGUSON		(02) 9207 0777
GPO BOX 3898	F	Facsimile No.
Sydney		(02) 9232 8555
New South Wales 2001		
AUSTRALIA		Teleprinter No.
Mark this check-box where no agent or common reprindicate a special address to which correspondence sh		AA 23165
indicate a special address to which correspondence sh	hould be sent.	nd the space above is used instead to
Form PCT/RO/101 (first sheet) (January 1997; reprint January	ary 1998)	C W

See Notes to the request form

Sheet No. 2

Box	No. V	DESIGNATION OF STATES			
The	followi	ng designations are hereby made under Rule 4.9(a) (mark the	appl	iosble c	hook-boxes: at least one must be marked)
Reg	ionai P	arcot			
Ø	AP	ARIPO Parent: GH Ghana, GM Gambia, KE Kenya, LS Lesolho,	MW	Malawi,	SD Sudan, SZ Swaziland, UC Uganda.
æ	EA	ZW Zimbabwe, and any other State which is a Contracting State of Eurasian Patent: AM Armenia, AZ Azerbaijan, BY Belarus, KG Kyr	gvzsta	ın. KZ Ke	zakhstan, MD Republic of Moldova, RH Pussion
国	88	rederation. TJ Tajikistan, TM Tukmenistan, and any other State which	is a C	Contraction	State of the Burgelan Patent Convention and acre, non
	EP	European Patent: AT Austria, BE Belgium, CH and LI Switzerla	nd an	d Liechte	enstein, DE Germany, DK Denmark, ES Spain, FI
		Finland, FR France, GB United Kingdom, GR Greece, IE Ireland, SE Sweden, and any other State which is a Contracting State of the	II Ita	IY. LU L	uxembourg, MC Monaco, NI, Netherlands, PT Portugal.
133	OA	OAPI Patent: BF Burkina Faso, BJ Benin, CF Central African Re	public	. CG Co	ARO, CI Côle d'Ivoire, CM Cameroon, GA Cabon, CN
		Quinea, ML Mali, MR Mauritania, NE Niger, SN Senegal, TD Ch	ad. To	G Toen. :	and any other State Which is a momba- State of O Anti
		a Contracting State of the PCT (if other kind of protection or treatm	eni de	esirad, sp	acify on dotted line)
		atent (if other kind of protection or treatment desired, specify		lotted lit	ns):
K	AE	United Arab Emirates		LR	Liberia
×	AL	Albania	×	LS	Lesotho
123	AM	Armenia	×	LT	Lithuania
×	ΑT	Austria	Œ	ĽU	Luxembourg
Ø	ΑÜ	Australia		LV	Latvia
×	ΑZ	Azerbaijan	X	MD	Republic of Moldova
藁	BA	Bosnia and Herzegovina		MG	Madagascar
×	BB	Barbados	Œ	MK	The former Yugoslav Republic of Macedonia
	BG	Bulgaria			0 (10 pc - 10
X	BR	Brazil	(X)	MN	Mongolia
æ	BY	Bclarus	Ē	MW	Malawi
X	CA	Canada	X	MX	Mexico.
×	CH 20	nd LI Switzerland and Lietchtenstein	$\overline{\mathbf{z}}$	NO	Norway
×	CN	China	×	NZ	New Zealand
X	CU	Cuba	F	PL	Poland
天	CZ,	Czech Republic	×	PT	Portugal
X	DE	Germany	×	RO	Romania
E	DK	Denmark	×	RU	Russian Federation
×	EE	Estonia		SD	Sudan
\blacksquare	ES	Spain	[]	SE	Sweden
×	Fl	Finland	区	SG	Singapore
×	CB	United Kingdom	国	SI	Slovenia
\blacksquare	CD	Grenada	国	SK	Slovakia
X	GR	Georgia	×	SL	Sierra Leone
文	GH	Ghana	æ	TJ	Tajikistan
X	CM	Gambia	æ	TM	Turkmenistan
×	HR	Croaria	凤	TR	Turkey
Æ	HU	Hungary	国	TT	Trinided and Tobago
K	ID	Indonesia	X	UA	Ukraine
×	IL	Israel	K	UG	Uganda
X	ĬN	India	×	US	United States of America
X	18	Iceland			Other States of America
×	JP	Japan	Ø	UZ	Uzbekistan.
33	KE	Келуа	Œ	VN	Viet Nam
X	KG	Kyrgyzstan	E	YU	Yugoslavia
X	КP	Democratic People's Republic of Korca	<u> </u>	2A	South Africa
		1	Ø	zw	Zimbabwc
	KR	Republic of Korea	_	-	t received for decimating Community t
E	KŻ	Kazakhstan	heen	me nam	s reserved for designating States which have
×	LC	Saint Lucia	DE CO	CR	y to the PCT after issuance of this sheet:
Ξ	LK	Sri Lanka.	(2)	MA	Costa Rica
Preca	utionary	Designation Statement: In addition to the designations made above, the	pplica	nt also m	Morocco E TZ Tanzania

permitted under the PCT except the designations which would be additional designations are subject to confirmation and that any designation which is not confirmation the scape of this statement. The applicant declares that these regarded as withdrawn by the applicant at the expiration of that time limit. (Confirmation of a designation consists of the filing of a notice spacifying their designation and confirmation fees. Confirmation must reach the receiving Office within the 15-month time limit.)

See Notes to the request form

See Notes to the request for".

· · · · · · · · · · · · · · · · · · ·			Sheci	No. 3			
Box No. VI	PRIORITY			Further priority c	laims are indicated in	the Suppler	nental Box
The priority of the	following earlie	er application	n(s) is hereby clai	med:			
Coun (in which, or for application w	r which the		iling Date v/month/year)	App	lication No.	la	Office of filing (only for regional or ternational application)
item (1) AUSTRALIA			3/12/1998) scember 1998)	PP7896		application)
item (2)							
item (3)							
Mark the following a	heck-box if the cel	tified copy of	the earlier applicati	ion is to be issued by	the Office which for	the purpose.	t of the present
The receive	ng Office is hereby	requested to	e may oe reautrea):	it to the laternational		, ,	(1)
Box No. VII			ARCHING AL			······	
Choice of Internation					4 -1 -1-		
	nanonaj jegren, in	iaicaic inc Au	hority chasen: the t	WO-lefter ende men t	na waad) -	~~	SA/
Carner Scaren Fill i	n where a search l	International	international-mose	as athers) but the late-		ulhority has	already been carried out or
Country (or region	07 1 6/8/2010	ine relevant t	ppuenuen (er the th Date (day/mo)	ranstation (hereof) o	r by reference to the s	scorch requi	251.:
, (+1 4 - 6 4			Date (acyrmo)	nin/year/		Number	:
Box No. VIII	CHECK LIS	T				_	
This international app	plication contains t	the	This international	application is accom	panied by the item(s)		
tollowing number of	sheets:		1	application is accord	ipanied by the item(s)) marked be	low:
1. request	; 3	sheets	1 1 1 1 .	e signed	5. 🗷	fee calcul	ation sheet
2. description	: 5	sheets	po aci.	of attorney	3. (A)		
3. claims	: I	sheets		general	6. 🗖	denosited	ndications concerning microorganisms
4. abstract	: 1	sheets		of attorney ant explaining	J. <u>L</u>		and/or amino acid
5. drawings	; 1	sheets		signature	7. 🗖	sequence	listing (diskene)
T-4-1			, priority	document(s)	8. 🗖	other (spe	
Total	: 11	sheets	as item	ed in Box No. VI	8. ⊔		
Figure No. 1 of the	he drawings (if	any) shoul	d accompany th	e abstract when	it is published		
Box No. IX	SIG	VATURE	OF APPLICAN	T OR AGENT	published,		
Next to each signatur	e, indicate the nan	ic of the perso	n signing and the co	apacity in which the	gerson Mone Gif such	***********	nat obvious from reading
the request).		•			berson signs (i) such (capacity is i	ial obvious from reading
		_			1		
			الملا	in Curnick			
			CDDIICON	Patent Attorn	еу		
			25KO2ON	& FERGUSO	N		
I. Date of acro			For receivi	ng Office use only			
internations	ual receipt of the	barbotteq					2. Drawings
3. Corrected d	late of actual rec	eint due to le	rton har				515111153
timely rece	ived papers or dr	awines com	nletine				C regained.
the purporte	ed international a	application:	P1015				rcceived:
Date of time	ely receipt of the	required					
corrections	under PCT Artic	le 11(2):					not received:
5. Internationa	al Searching Aut	hority		6. Tranzmitta	l of scarch copy delay	ed upto	\
specified by	the applicant:	ISA/		scarch fee	is paid	, u u u	
Data of	_		For Internat	ional Burcau use			
Date of rescipt of the by the International	ne record copy				-		
Form PCT/RO/101	Class thank (T	100-					_
	(1921 SUCOL) (1991)	ишгу 1994; п	eprint July 1996)	•		See A	lotes to the request form





INTERNATIONAL SEARCH REPORT International application No. PCT/AU 99/01146 CLASSIFICATION OF SUBJECT MATTER Int CI7: AG1M 16/00, F24F 13/24 According to International Patent Classification (IPC) or to both national classification and IPC B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) KEYWORDS Documentation searched other than minimum documentation to the extent that such documents are included in the fields scarched AU: IPC AS ABOVE Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) DERWENT JAPIO Ċ. DOCUMENTS CONSIDERED TO BE RELEVANT Category* Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. WO 99/47197 A (RESMED LIMITED) 23 September 1999 P. A See entire document. AU 90533/98 A (RESMED LIMITED) 20 May 1999 P, A See entire document. US 5407330 A (RIMINGTON et al.) 18 April 1995 A See column 1 lines 26-42, column 3 lines 43-63. X Further documents are listed in the $|\mathbf{x}|$ See patent family annex continuation of Box C Special categories of cited documents: later document published after the international filing date or **"**A" document defining the general state of the art which is priority date and not in conflict with the application but cited to not considered to be of particular relevance understand the principle or theory underlying the invention "E" carlier application or patent but published on or after -X1 document of particular relevance; the claimed invention cannot the international filing date be considered novel or cannot be considered to involve an "L" document which may throw doubts on priority claim(s) inventive step when the document is taken alone or which is cited to establish the publication date of "Y" document of particular relevance; the claimed invention cannot another citation or other special reason (as specified) be considered to involve an inventive step when the document is **"**O" document referring to an oral disclosure, use, combined with one or more other such documents, such exhibition or other means combination being obvious to a person skilled in the art document published prior to the international filing document member of the same patent family date but later than the priority date claimed Date of the sernal completion of the international search Date of mailing of the international search report 21 February 2000 2 B FEB 2000 Name and mailing address of the ISA/AU Authorized officer

JOHN HO

Telephone No.: (02) 6283 2329

E-mail address: pct@ipaustralia.gov.au

AUSTRALIAN PATENT OFFICE

Facsimile No. (02) 6285 3929

PO BOX 200, WODEN ACT 2606, AUSTRALIA

International application No.

	9/01146		
C (Coutinua Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.	
A	WO 98/19646 A (RESPIRAID LTD.) 14 May 1998 See figures 2A-2B.		
A	US 3765505 A (PENDLETON) 16 October 1973 See column 2 lines 6-59.		
A	WO 95/17635 A (SANTOS) 29 June 1995 See entire document.		
	·		

Information on patent family members

International application No. PCT/AU 99/01146

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are mercly given for the purpose of information.

Patent Document Cited in Search	Patent Family Member						
WO 99/47197	AU 2401/98	AU 21250/99	AU 29137/99				
AU 90533/98	AU 151/97	AU 10120/99			-,		
US 5407330	DE 69307265	DK 595459	EP 595459	GB 2271811			
WO 98/19646	AU 47212/97	IL 119564					
U\$ 3765505	CA 981995	ES 419350	GB 1442171	JP 49077373			
WO 95/17635	AU 12435/95	ES 1026674					

END OF ANNEX

=:

5

10

15

- 6 -

CLAIMS:

WO 00/38771

- 1. An apparatus for supplying breathable gas, the apparatus including: a relatively rigid external housing;
- at least one noise producing component internal the housing; and
- a thin flexible enclosure substantially scaled around the noise producing component(s).
- 2. The apparatus as claimed in claim 1, wherein the flexible enclosure is produced from plastic material.
- 3. The apparatus as claimed in claim 2, wherein the plastic material is Cosmothene F221-1 or polyethylene.
 - 4. The apparatus as claimed in any one of the preceding claims, wherein the flexible enclosure includes an opening adapted to allow passage of the internal component(s) into the interior of the flexible enclosure.
 - 5. The apparatus as claimed in claim 4, wherein the opening is sealable by adhesive tape.

The apparatus as claimed in any one of the preceding claims, wherein the enclosure includes one or more apertures to allow breathable gas into and out of the noise producing component(s).

- 7. The apparatus as claimed in claim 5, wherein the noise producing components include a blower, an inlet muffler and an outlet muffler, atmospheric air being drawn through the inlet muffler before entering the blower and the resulting pressurised air passing through the outlet muffler after leaving the blower, and the enclosure includes a first said aperture substantially sealable with respect to the exterior of the inlet muffler and a second said aperture substantially sealable with respect to the exterior of the outlet of the outlet muffler.
- 8. The apparatus as claimed in claim 7, wherein the enclosure includes a third said aperture for passage of one or more wires for transmitting power or control signals to an electric motor and/or other electrical components, the third aperture being substantially sealable relative to the exterior of the wire(s).

A method of assembling the apparatus claimed in any one of the preceding claims, the method comprising the steps of:

assembling the noise producing component(s) into a sub-assembly;

placing the sub-assembly into the interior of the thin flexible enclosure through an opening therein;

substantially sealing the opening; and placing the flexible enclosure within the external housing.

Multiply 20

Ü

4,

L/1

25

Claimed 3 subject .nowHu

not 35 Snown

> mproper multiple





INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:
A61M 16/00, F24F 13/24

A1

(11) International Publication Number: WO 00/38771

(43) International Publication Date: 6 July 2000 (06.07.00)

(21) International Application Number: P(

PCT/AU99/01146

(22) International Filing Date:

22 December 1999 (22.12.99)

(30) Priority Data:

PP 7896

23 December 1998 (23.12.98) AU

(71) Applicant (for all designated States except US): RESMED LIMITED [AU/AU]; 97 Waterloo Road, North Ryde, NSW 2113 (AU).

(72) Inventor; and

(75) Inventor/Applicant (for US only): DANTANARAYANA, Muditha, Pradeep [AU/AU]; 21 Carole Avenue, Baulkham Hills, NSW 2153 (AU).

(74) Agent: SPRUSON & FERGUSON; G.P.O. Box 3898, Sydney, NSW 2001 (AU).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).


Published

With international search report.

(54) Title: AN APPARATUS FOR SUPPLYING BREATHABLE GAS

(57) Abstract

An apparatus (1) for supplying breathable gas is disclosed. The apparatus (1) includes a relatively rigid external housing (2), at least one noise producing component (3, 4, 5, 6) internal the housing (2), and a thin flexible enclosure (8) substantially sealed around the noise producing components (3, 4, 5, 6). A method of assembling the apparatus (1) is also disclosed. The method comprises the steps of assembling the noise producing component(s) (3, 4, 5, 6) into a sub-assembly, placing the sub-assembly into the interio (9) of the thin flexible enclosure (8) through an opening therein, substantially sealing the opening, and placing the flexible enclosure (8) within the external housing (2).



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AŁ	Albania	ES	Casia		w	~-	
AM	Armenia		Spain	LS	Lesotho	SI	Slovenia
AT		FI	Finland	LT	Lithuania	SK	Slovakia
	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
ΑZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	ТJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG			
				30	Singapore		

WO 00/38771

5

10

15

20

25

30

35

AN APPARATUS FOR SUPPLYING BREATHABLE GAS

FIELD OF THE INVENTION

The present invention relates to an apparatus for supplying breathable gas.

The invention has been developed primarily for use in Continuous Positive Airway Pressure (CPAP) treatment of, for example, Obstructive Sleep Apnea (OSA) and other ventilatory assistance treatments such as Non Invasive Positive Pressure Ventilation (NIPPV) and will be described hereinafter with reference to this application. However, it will be appreciated that the invention is not limited to these particular uses.

BACKGROUND OF THE INVENTION

CPAP treatment is a common ameliorative treatment for breathing disorders including OSA. CPAP treatment, as described in US Patent No. 4,944,310, provides pressurised air or other breathable gas to the entrance of a patient's airways at a pressure elevated above atmospheric pressure, typically in the range 4-20 cm H₂O.

It is also known for the level of treatment pressure to vary from breath to breath in accordance with patient need, that form of CPAP being known as automatically adjusting nasal CPAP treatment, as described in US Patent No. 5,245,995.

NIPPV is another form of treatment for breathing disorders which can involve a relatively higher pressure of gas being provided in the patient mask during the inspiratory phase of respiration and a relatively lower pressure or atmospheric pressure being provided in the patient mask during the expiratory phase of respiration.

In other NIPPV modes the pressure can be made to vary in a complex manner throughout the respiratory cycle. For example, the pressure at the mask during inspiration or expiration can be varied through the period of treatment.

Typically, the ventilatory assistance for CPAP or NIPPV treatment is delivered to the patient by way of a nasal mask. Alternatively, a mouth mask or full face mask or nasal prongs can be used. In this specification any reference to a mask is to be understood as incorporating a reference to a nasal mask, mouth mask, full face mask or nasal prongs.

In this specification any reference to CPAP treatment is to be understood as embracing all of the above described forms of ventilatory treatment or assistance.

A CPAP apparatus broadly comprises a flow generator constituted by a continuous source of air or other breathable gas generally in the form of a blower driven by an electric motor. A hospital piped supply can also be used. The gas supply

5

10

15

20

25

30

35

is connected to a conduit or tube, which in turn is connected to a patient mask which incorporates, or has in close proximity, an exhaust to atmosphere for venting exhaled gases. The electric motor driving the blower is typically controlled by a servo-controller under the control of a microcontroller unit.

The noise produced by the electric motor and blower has three basic transmission paths to surrounding atmosphere. It is radiated from the apparatus housing, transmitted from the blower outlet to be propagated along the conduit that connects the outlet the apparatus to the patient mask and transmitted from the blower inlet to propagate along the gas inlet path (in the opposite direction of the gas flow) to the housing gas inlet and so to atmosphere. As CPAP apparatus are generally located in the same room of the patient being treated, generally within about 1 or 2 m of the patient, it is extremely desirable to minimise the noise the CPAP apparatus produces in order to maximise treatment compliance and also the comfort of the patient and/or any bed partner.

It is an object of the present invention to reduce the noise radiated from the apparatus housing.

SUMMARY OF THE INVENTION

Accordingly, in a first aspect, the present invention provides an apparatus for supplying breathable gas, the apparatus including:

a relatively rigid external housing;

at least one noise producing component internal the housing; and

a thin flexible enclosure substantially sealed around the noise producing components.

Preferably, the flexible enclosure is produced from plastic material. For example, the enclosure can be made from a polymer such as Cosmothene F221-1 or polyethylene.

The flexible enclosure preferably includes an opening adapted to allow passage of the internal component(s) into the interior of the flexible enclosure. The opening is desirably sealable by adhesive tape.

The enclosure preferably includes one or more apertures to allow breathable gas into and out of the noise producing component(s).

The noise producing components can include a blower, an inlet muffler or an outlet muffler. Atmospheric air is preferably drawn through the inlet muffler before entering the blower and the resulting pressurised air preferably passes through the outlet muffler after leaving the blower. The enclosure preferably includes a first aperture substantially sealable with respect to the exterior of the inlet muffler and a second aperture substantially sealable with respect to the exterior of the

5

10

15

20

25

30

35

outlet of the outlet muffler. The enclosure preferably also includes a third aperture for passage of one or more wires for transmitting power or control signals to an electric motor and/or other electrical components, the third aperture being substantially sealable relative to the exterior of the wire(s).

According to a second aspect, the present invention provides a method of assembling an apparatus for supplying breathable gas according to the first aspect of the invention, the method comprising the steps of:

assembling the noise producing component(s) into a sub-assembly;

placing the sub-assembly into the interior of the thin flexible enclosure through an opening therein;

substantially sealing the opening; and

placing the flexible enclosure within the external housing.

BRIEF DESCRIPTION OF THE DRAWING

Fig. 1 is a schematic view of an embodiment of an apparatus for supplying breathable gas according to the invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

Figs. 1 shows an apparatus 1 for supplying breathable gas. More specifically, the apparatus 1 is adapted for use a CPAP apparatus. The apparatus 1 comprises a relatively rigid external housing 2 which is generally in the form of upper and lower housing halves produced from a plastic material. Internal the housing 2 there are several components capable of producing noise. In the embodiment shown in Fig. 1 these components include an inlet muffler 3, a blower 4, a conduit 5 and an outlet muffler 6.

The inlet muffler 3 has an inlet 11 open to atmosphere and an outlet (not shown) connected to the inlet (not shown) of the blower 4. The blower 4 has an outlet 12 connected to the inlet 13 of the conduit 5. The conduit 5 has an outlet 14 connected to the inlet 15 of the outlet muffler 6. The outlet muffler 6 also includes an outlet 7 which is connected to a conduit or tube (not shown) which communicates the pressurised gas produced by the blower 4 to a patient mask (not shown).

Air from atmosphere drawn into the inlet muffler 3 is indicated by arrow 16. Pressurised air leaving the outlet muffler 6 is indicated by arrow 17.

The apparatus 1 also includes a thin flexible enclosure indicated by dashed lines 8. The enclosure 8 extends around the noise producing components 3, 4, 5 and 6 and is substantially sealed with respect to same. The enclosure 8 includes a first aperture 18 sealed with respect to the exterior of the inlet 11 of the inlet muffler 3, a second aperture 19 sealed with respect to the exterior of the outlet 7 of the outlet muffler 6 and a third aperture 20 sealed with respect to the exterior of wires 21 used to

5

10

15

20

25

30

communicate power and/or control signals to the motor (not shown) of the blower 4 and other electrical components. In this way, the flexible enclosure 8 effectively isolates the exterior of the components 3, 4, 5 and 6 from their surroundings but still allows passage of air into and out of those components.

The enclosure 8 is preferably made from a plastics material for example a polymer such as Cosmothene F221-1 or polyethylene. The enclosure 8 is generally of bag like construction with an opening at one end that leads to an interior 9.

To assemble the apparatus 1, the components 3, 4, 5 and 6 are all assembled together into a sub-assembly and passed through an opening into the interior 9 of the enclosure 8. The apertures 18, 19, 20 in the enclosure 8 are located in sealed relationship with respect to the exterior of the inlet 11, the outlet 7 and the wires 21 respectively. The opening in the enclosure 8 is then preferably sealed by adhesive tape. Other adhesives or heat sealing can also be used to seal the opening in the enclosure 8. In this connection, it will be appreciated that it is not imperative to achieve a completely air tight or hermetic seal between the enclosure 8 and the components 3, 4, 5 and 6 that the enclosure 8 surrounds. The sub-assembly of noise producing components and enclosure is then placed between the two halves with the housing 2 which are then joined in the known manner to complete the apparatus 1.

The interior 9 of the enclosure 8 can be left substantially empty or can be filled with foam or bubble wrap or the like.

Testing of two similar prototype CPAP apparatus (denoted 1. and 2.) with and without the flexible enclosure 8 revealed the following average dBA noise levels from measurements taken at the front, back, left and right side of the housing 2 with both the CPAP apparatus being operated to produce gas flow at a pressure of $10 \text{ cm H}_2\text{O}$.

CPAP Apparatus	Without enclosure (dBA)	With enclosure (dBA)
1.	34.2	32.4
2.	34.5	32.0

Accordingly, as these results show, the invention provides a very simple and inexpensive way of reducing the noise radiated from the housing by approximately 2 dBA.

Other advantages include the ease of installation of the flexible enclosure, and corresponding ease of replacement. The apparatus is also easier to sterilise, as the

WO 00/38771

5

components of the apparatus through which air is drawn are effectively isolated from other components, such as electrical circuitry.

Although the invention has been described with reference to a preferred embodiment, it will be appreciated by those skilled in the art that the invention may be embodied in many other forms.

CLAIMS:

5

10

15

20

25

35

- 1. An apparatus for supplying breathable gas, the apparatus including: a relatively rigid external housing;
- at least one noise producing component internal the housing; and
- a thin flexible enclosure substantially sealed around the noise producing component(s).
 - 2. The apparatus as claimed in claim 1, wherein the flexible enclosure is produced from plastic material.
 - 3. The apparatus as claimed in claim 2, wherein the plastic material is Cosmothene F221-1 or polyethylene.
 - 4. The apparatus as claimed in any one of the preceding claims, wherein the flexible enclosure includes an opening adapted to allow passage of the internal component(s) into the interior of the flexible enclosure.
- 5. The apparatus as claimed in claim 4, wherein the opening is sealable by adhesive tape.
 - 6. The apparatus as claimed in any one of the preceding claims, wherein the enclosure includes one or more apertures to allow breathable gas into and out of the noise producing component(s).
 - 7. The apparatus as claimed in claim 5, wherein the noise producing components include a blower, an inlet muffler and an outlet muffler, atmospheric air being drawn through the inlet muffler before entering the blower and the resulting pressurised air passing through the outlet muffler after leaving the blower, and the enclosure includes a first said aperture substantially sealable with respect to the exterior of the inlet muffler and a second said aperture substantially sealable with respect to the exterior of the outlet of the outlet muffler.
 - 8. The apparatus as claimed in claim 7, wherein the enclosure includes a third said aperture for passage of one or more wires for transmitting power or control signals to an electric motor and/or other electrical components, the third aperture being substantially sealable relative to the exterior of the wire(s).
- 9. A method of assembling the apparatus claimed in any one of the preceding claims, the method comprising the steps of:

assembling the noise producing component(s) into a sub-assembly;

placing the sub-assembly into the interior of the thin flexible enclosure through an opening therein;

substantially sealing the opening; and placing the flexible enclosure within the external housing.




FIG. 1

International application No.

PCT/AU 99/01146

		T CI/A	U 99/UI146			
A.	CLASSIFICATION OF SUBJECT MATTER					
Int Cl ⁷ :	t Cl ⁷ : A61M 16/00, F24F 13/24					
According to	International Patent Classification (IPC) or to both	national classification and IPC				
В.	FIELDS SEARCHED					
Minimum docu KEYWORD	umentation searched (classification system followed by c S	lassification symbols)				
Documentation AU: IPC AS	searched other than minimum documentation to the ext ABOVE	tent that such documents are included in	the fields searched			
Electronic data DERWENT JAPIO	base consulted during the international search (name of	data base and, where practicable, search	terms used)			
C.	DOCUMENTS CONSIDERED TO BE RELEVANT	7				
Category*	Citation of document, with indication, where app	propriate, of the relevant passages	Relevant to claim No.			
P, A	WO 99/47197 A (RESMED LIMITED) 23 Septe See entire document.	ember 1999				
P, A	P, A See entire document. AU 90533/98 A (RESMED LIMITED) 20 May 1999 See entire document.					
A	US 5407330 A (RIMINGTON et al.) 18 April 19 See column 1 lines 26-42, column 3 lines 43-63.					
X	Further documents are listed in the continuation of Box C	X See patent family ar	nnex			
"A" docur not co earlie the ir "L" docur or what anoth "O" docur exhib "P" docur	al categories of cited documents: ment defining the general state of the art which is onsidered to be of particular relevance or application or patent but published on or after atternational filing date ment which may throw doubts on priority claim(s) which is cited to establish the publication date of a certification or other special reason (as specified) ment referring to an oral disclosure, use, obtion or other means ment published prior to the international filing but later than the priority date claimed	priority date and not in conflict with understand the principle or theory understand the principle or theory understand the principle or theory understand the principle or cannot be considered novel or cannot be considered novel or cannot be considered to involve an inventive combined with one or more other succombination being obvious to a pers	the application but cited to inderlying the invention e claimed invention cannot insidered to involve an a taken alone in claimed invention cannot be step when the document is inch documents, such son skilled in the art			
Date of the ac	tual completion of the international search	Date of mailing of the international sear	rch report			
21 February 2		2 8 FEB 2000				
AUSTRALIA PO BOX 200, E-mail addres	iling address of the ISA/AU N PATENT OFFICE WODEN ACT 2606, AUSTRALIA s: pct@ipaustralia.gov.au (02) 6285 3929	Authorized officer JOHN HO Telephone No.: (02) 6283 2329				

International application No.

	PCT/AU 99/0	
C (Continua	tion). DOCUMENTS CONSIDERED TO BE RELEVANT	1140
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 98/19646 A (RESPIRAID LTD.) 14 May 1998 See figures 2A-2B.	
A	US 3765505 A (PENDLETON) 16 October 1973 See column 2 lines 6-59.	
A	WO 95/17635 A (SANTOS) 29 June 1995 See entire document.	

Information on patent family members

International application No. PCT/AU 99/01146

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Document Cited in Search			Patent Family	Member	
WO 99/47197	AU 2401/98	AU 21250/99	AU 29137/99		
AU 90533/98	AU 151/97	AU 10120/99			
US 5407330	DE 69307265	DK 595459	EP 595459	GB 2271811	
WO 98/19646	AU 47212/97	IL 119564			
US 3765505	CA 981995	ES 419350	GB 1442171	JP 49077373	
WO 95/17635	AU 12435/95	ES 1026674			

END OF ANNEX